4500

Name, Address City, County, ZIP:

Station Code: 601

0

0

Ó

0

0

0

Reported Date (Month Year):

January 2006

Application:

01L00091*ED

0.45

0.59

0.45

5/26/2

American Energy Corporation 43521 Mayhugh Hill Road

Sampling Station Description:

BeallsvilleOH 43716

10

11

12

13 14 15

in(1) - Enter 1 for Continuous, 2 for Composite, 3 for Grab Sample Reporting Lab: Analyst: Industrial lab analysis in(2) - Enter frequency of sampling Bharat Maniar (1)999 999 (2)1 1 1 (80082) (31616) (01330) (01350) (00530) (00600) CBOD 5 day Fecal Coliform Odor, Severity Turbidity, Severity Nitrogen, Total mg/l Total Suspended ${\rm mg}/1$ #/100 ml Units Solids Day mg/101 02 03 0 04 Ö 05

Ô

0 16 Ó 0 17 0 0 18 Ö 0 19 0 0 20 21 22 Ö 23 0 0 24 0 0 25 0 0 AΑ 0.59 26 0 0 27 28 29 0 0 30 Ö 0 31 TOTAL 0 0 0 0 1.04 Ö 0.52 AVG 0 0 0

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

0

Date Report Completed:

0

Signature of Reporter:

Title of Reporter:

0

02/20/2006

MAX

MIN

Melanie Murray

0

Civil Engineer

3

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

Page 1 of